



Dometic proSafe Premium & Advanced models

Dometic proSafe Premium- Different color



Dometic **proSafe** 2nd Generation - Premium



Policarbonate frontal panel

- Dometic colour NCS 8502 (anthracite grey)
- Front panel with easy Instructions
- All corners R = 12,5 mm
- TFT Display of 1,77" in colour. Different languages available.
- Microfiber carpet, beige colour.

Keeping the security at high level



- 1.5/2 mm body
- 5.0 mm door + frame
- Cabinet radius = 12.5 mm

Tailor made designs (optional for Premium models only)



1st to use a TFT display of 1,77"
Available for Premium models only



Easy to see inside



- Alcantara type carpet (beige colour)
- Interior LED light (optional)

A solution for an emergency



proSafe Premium – Product Comparison:



Model	MD 282	MD 362	MD 382
Type of product	Electronic safe	Electronic safe	Electronic safe
Capacity (litres)	8.2	24	28
Exterior dimensions (H x W x D, mm)	165 x 280 x 235	190 x 360 x 410	190 x 380 x 450
Interior dimensions (H x W x D, mm)	162 x 277 x 185	187 x 357 x 360	187 x 377 x 400
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	5.9	10	11.1
Keypad	Illuminated ADA-compliant rubber keypad		
Display	1.77" TFT colour display; 4-digit guest code; English language		
Locking mechanism	Two 18 mm solid steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Interior carpet	Microfibre, beige		
Cabinet colour	Anthracite grey, white or brown		

Standard features for all models

- Low battery warning.
- Battery status (Low voltage (graphical & numerical))
- Confirmation buzzer
- High secured master key with anti tampering code
- Spring opening door
- Emergency opening (SAM) REOS 2.0
- Audit system (last 1000 events)
- Reprogrammable configuration.

Dometic proSafe – 1st Generation - Advanced



New cabinet

- Rounded corners
- Glossy black labels
- New keypad
- New back cover



proSafe Advanced – Product Comparison:



Model	MD 281	MD 361	MD 381
Type of product	Electronic safe	Electronic safe	Electronic safe
Capacity (litres)	8.2	24	28
Exterior dimensions (H x W x D, mm)	165 x 280 x 235	190 x 360 x 410	190 x 380 x 450
Interior dimensions (H x W x D, mm)	162 x 277 x 185	187 x 357 x 360	187 x 377 x 400
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	6.1	10.2	11.3
Keypad	ADA-compliant rubber keypad		
Display	LED 4-digit guest code		
Locking mechanism	Two 18 mm solid steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Inside carpet	Grey		
Cabinet colour	Anthracite grey (NCS 8502)		

Standard features for all models

- Low battery warning
- Confirmation buzzer
- High secured master key
- Emergency opening master code
- Spring door opening
- Reprogrammable configuration

Dometic **proSafe Premium** - Design

- Technological appearance and modern look.
- Display TFT - 1,77" - [Only Premium models](#)
- Round external edges of the cabinet and door (radius 12,5 mm).
- Polycarbonate transparent frontal panel, printed from the background – [Only Premium models](#)
- Hidden access to the mechanical override key.
- Keypad without letters (bigger numbers).
- Possibility of different color safe/frontal panel.

Dometic proSafe Premium Technological improvements

- Easy using way (less close process operation)
- Display TFT de 1,77" (as mobile phone) – [Only Premium models](#)
- New microprocessor.
- Display messages in different languages
- Display messages in different colours (battery level, incorrect code)
- New R.E.O.S. system operation → **SAM** = **SA**fe **M**anagement
- Silicon keypad illuminated.
- Master Key with AT Sensor - [Only Premium models](#)

High security features – REOS & Audit Trail:

- **REOS** via internet is the very latest secure emergency opening. It means a hotel does not need to disclose the Master Code to any staff member eliminating the need for reprogramming a hotel's safes if entrusted security personnel leave their employment.
- The REOS system means that a guest's safe can only be opened at that very moment using the guest's own code. The moment he closes the safe with a new code it can no longer be opened without a new REOS session. The Audit Trail function can be performed by authorized personnel from the hotel using the REOS site. Additionally Dometic Logs all access to REOS.
- Bundled with the optional R.E.O.S system is the **iAudit trail** function: using the SD Card reader you connect to the safe's electronics card and download up to 1000 events on the SD card. To protect the data the SD Card can only be read on a PC connect to the R.E.O.S. web site using predefined log-on rights.



Dometic **proSafe** – Options for Premium & Advanced

- Left hand hinge
- Fixing Kit.
- Display messages / select language
- Internal LED light.
- 220V permanent connection (no batteries).
- Integrated 220 V Plug. (EU, US, UK)